

# Safety Data Sheet LoveSpell Type Fragrance Oil (V000321)

October 22, 2020

### Section 1: Chemical Product and Company Identification

Product name:	LoveSpell Type Fragrance Oil
Contact Info:	Bramble Berry Inc.
	2138 Humboldt Street
	Bellingham, WA 98225
	info@brambleberry.com
	www.brambleberry.com
	1-877-627-7883
Emergency Phone Number:	
	Within USA & Canada: 1.800.424.9300 CCN693143
	Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

### **Section 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid	
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin	
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)		
Flammable Liquids, Category 4	H227 : Combustible liquid	
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction	
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Classification Other		
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]	



2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



#### Signal Word: Warning

Hazard statements

- H227 Combustible liquid
- H303 May be harmful if swallowed
- H313 May be harmful in contact with skin
- H315 Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse
P363 Wash contaminated clothing before reuse
P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391 Collect Spillage

#### 2.3 Other Hazards

no data available

## Section 3: Composition/Information on Ingredients

#### 3.1 Mixtures



This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

		1 -	
CAS#	EC#	Conc.	GHS Classification
Ingredient		Range	
Benzyl Benzoate	204-402-9	40-50%	H302; H313; H400; H411
120-51-4			
Hexahydro-methanoindenyl Propionate	272-805-7	10-20%	H401; H411
68912-13-0			
Limonene	227-813-5	5-10%	H226; H304; H315; H317;
5989-27-5			H400; H410
Hexamethylindanopyran	214-946-9	5-10%	H316; H400; H410
1222-05-5			
Butylated hydroxytoluene	204-881-4	5-10%	H316; H400; H410
128-37-0			
Diethyl succinate	204-612-0	2-5%	H227
123-25-1			
Dimethyl Phenethyl Butyrate	223-221-8	2-5%	H401; H411
10094-34-5			
2-Phenoxyethyl isobutyrate	203-127-1	2-5%	H316
103-60-6			
Linalool	201-134-4	2-5%	H316
78-70-6			
gamma-Decalactone	211-892-8	1-2%	H316
706-14-9			
Linalyl Acetate	204-116-4	1-2%	H227; H315; H317; H320;
115-95-7			H402

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 9.60

### **Section 4: First Aid Measures**

#### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

#### 4.3 Indication of any immediate medical attention and special treatment needed Treatment:



Refer to Section 2.2 "Response"

## **Section 5: Fire-Fighting Measures**

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

#### 5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

#### **5.3 Advice for firefighters**

Further information: Standard procedure for chemical fires

### **Section 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### **6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### Section 7: Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



## Section 8: Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits	:				
Component		ACGIH	ACGIH	OSHA	OSHA
		TWA ppm	STEL ppm	TWA ppm	STEL ppm
128-37-0	Butylated hydroxytoluene	2			
Engineering Controls: Use local exhaust as needed.					

#### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

### **Section 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid Odor: Conforms to Standard Color: Yellow (G4-8) Viscosity: Liquid Freezing Point: Not determined Boiling Point: Not determined Melting Point: Not determined Flashpoint (CCCFP): 186 F (85.56 C) Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected Vapor Pressure (mmHg@20 C): 0.1825 %VOC: 11.86 Specific Gravity @ 25 C: 1.0230 Density @ 25 C: 1.0200 Refractive Index @ 20 C: 1.5170 Soluble in: Oil

### Section 10: Stability and Reactivity

Reactivity
Chemical stability
Possibility of hazardous reactions
Conditions to avoid

None Stable None known None known



Incompatible materials Hazardous decomposition products Strong oxidizing agents, strong acids, and alkalis None known

## **Section 11: Toxicological Information**

**11.1 Toxicological Effects** Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2265.3501) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3935.6885) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 65.9076) May be harmful if inhaled Skin corrosion / irritation: Causes skin irritation Serious eye damage / irritation: Not classified - the classification criteria are not met Respiratory sensitization: Not classified - the classification criteria are not met Skin sensitization: May cause an allergic skin reaction Germ cell mutagenicity: Not classified - the classification criteria are not met Carcinogenicity: Not classified - the classification criteria are not met Reproductive toxicity: Not classified - the classification criteria are not met Specific target organ toxicity - single exposure: Not classified - the classification criteria are not met Aspiration hazard: Not classified - the classification criteria are not met

## Section 12: Ecological Information

12.1 Toxicity
Acute aquatic toxicity: Very Toxic to aquatic life
Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.
Toxicity Data on soil: No data available.
Toxicity on other organisms: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

**12.4 Mobility in soil:** No data available.

12.5 Other adverse effects: No data available.

### Section 13: Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



## Section 14: Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Perfumery Products				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance,	9	III		UN3082
Liquid, n.o.s.				
IATA (Air Cargo)				
Perfumery Products	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IMDG (Sea)				
Perfumery Products	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				

## Section 15: Regulatory Information

#### U.S. Federal Regulations:

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt. **40 CFR (EPCRA, SARA, CERCLA and CAA):** This product contains NO components of concern.

U.S. State Regulations:California Proposition 65 Warning:This product contains the following components:123-35-3(NF204-622-50.01 - 0.1%beta-Myrcene (Natural Source)

**Canadian Regulations:** 

**DSL:** 100% of the components are listed or exempt.

## **Section 16: Other Information**

#### **GHS H-Statements referred to under section 3**

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effe	ects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(105.33) Aquatic Chronic Toxicity, Category 3	(75.86) Acute Toxicity Inhalation, Category 5
(10.53) Aquatic Chronic Toxicity, Category 2	(9.07) Sensitization, Skin, Category 1B
(3.36) Aquatic Chronic Toxicity, Category 4	(2.94) Skin Corrosion/Irritation, Category 3
(2.70) Aquatic Acute Toxicity, Category 1	(2.21) Acute Toxicity Oral, Category 5
(1.38) Skin Corrosion/Irritation, Category 2	(1.27) Acute Toxicity Dermal, Category 5



The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.